

FABRICS



STANDARD / PREMIUM / COVERS

FIBER ART FOR PERFORMANCE FABRICS
100% SOLUTION DYED ACRYLIC


(agora) SPRADLING®


STANDARD PANAMA























PREMIUM BRUMA



PREMIUM ARTISAN













PREMIUM ESQUIRE












WINTER COVERS





6928—
AGORA COVER PRO GRAFITO



6921—
AGORA COVER PRO MARFIL



6922 — AGORA COVER PRO AVENA



6923
—
AGORA COVER PRO SILVER

(agoia) TECHNICAL FILE PANAMA (STANDARD)

		— COMPOSITION ———	
	100%	6 Solution Dyed Acrylic	
— WIDTH —	WEIGHT	— LENGHT OF ROLLS —	LIGHT FASTNESS —
160 cm / 63"	280 gr / m2	50 ml	7 / 8
		FINISH	
	Water repe	llent with stain resistant trea	atment
		FIBER STRUCTURE ——	
	etween the carbo e color does not of time.		
	WARRANTY -	TOLE	RANCE —
	5 years *		es of tolerance of / - 5%
	CL	EANING INSTRUCTIONS —	
	30		\boxtimes
		— APPLICATION ———	
	DIFFEREN	NT OPTIONAL FABRIC TREAT	MENT —
WATERPRO	OF	FLAME	RETARDANT
- Lamina	ated 1000 mm		NE 1021 PARTS 1-2 10 PEF 2010 Anex 1. Part 8

(*) The Agora warranty covers the fabric becoming unserviceable as a result of loss of colour or strength from normal exposure conditions, including sunlight, mildew, rot and atmospheric chemical, if the fabric has been properly installed, utilized and main tained. The warranty does not cover labour and installation supplied by the dealer. The warranty also does not apply against deterioration of any kind due to abusive use, accidental burns, negligence or perforations.









- BS 5852 Cigarrete & Match

(agola) TECHNICAL FILE BRUMA (STANDARD)

		— COMPOSITION ———	
	100%	6 Solution Dyed Acrylic	
— WIDTH —	WEIGHT	— LENGHT OF ROLLS —	LIGHT FASTNESS –
160 cm / 63"	400 gr / m2	30 ml	7/8
	_	— FINISH —	
	Water repel	llent with stain resistant treat	ment
		FIBER STRUCTURE —	
	petween the carbon e color does not of time.		(H) (H) (C) = N)
	— WARRANTY –	TOLE	RANCE —
	5 years *		es of tolerance of - 5%
	CLI	EANING INSTRUCTIONS —	
	30		\boxtimes
		- APPLICATION -	
	——— DIFFEREN	IT OPTIONAL FABRIC TREAT	MENT —
WATERPRO	OF	FLAME	RETARDANT
- Lamina	ated 1000 mm		IE 1021 PARTS 1-2 O PEF 2010 Anex 1. Part 8

(*) The Agora warranty covers the fabric becoming unserviceable as a result of loss of colour or strength from normal exposure conditions, including sunlight, mildew, rot and atmospheric chemical, if the fabric has been properly installed, utilized and main tained.

The warranty does not cover labour and installation supplied by the dealer. The warranty also does not apply against deterioration of any kind due to abusive use, accidental burns, negligence or perforations.









- BS 5852 Cigarrete & Match

(agola) TECHNICAL FILE ARTISAN (PREMIUM)

		COMPOSITION ———		
	100% S	olution Dyed Acrylic		
— WIDTH —	— WEIGHT —	– LENGHT OF ROLLS –	LIGHT FASTNESS —	
160 cm / 63"	450 gr / m2	30 ml	7 / 8	
		— FINISH ————		
	Water repelle	nt with stain resistant treat	ment	
		FIBER STRUCTURE ———		
	etween the carbon in e color does not cloof time.			
	— WARRANTY —	TOLER	RANCE	
	5 years *		s of tolerance of - 5%	
	CLEA	NING INSTRUCTIONS —		
	30 <u>C</u> l		\boxtimes	
		APPLICATION —		
14/4		OPTIONAL FABRIC TREATN		
WATERPRO			RETARDANT	
- Laminated 1000 mm			- UNE 1021 PARTS 1-2 - IMO PEF 2010 Anex 1. Part 8	

(*) The Agora warranty covers the fabric becoming unserviceable as a result of loss of colour or strength from normal exposure conditions, including sunlight, mildew, rot and atmospheric chemical, if the fabric has been properly installed, utilized and main tained. The warranty does not cover labour and installation supplied by the dealer. The warranty also

The warranty does not cover labour and installation supplied by the dealer. The warranty also does not apply against deterioration of any kind due to abusive use, accidental burns, negligence or perforations.









(agora) TECHNICAL FILE ESQUIRE (PREMIUM)

		— COMPOSITION ———		
100% Solution Dyed Acrylic				
— WIDTH —	— WEIGHT —	— LENGHT OF ROLLS	LIGHT FASTNESS —	
160 cm / 63"	420 gr / m2	30 ml	7 / 8	
		— FINISH —		
	Water repel	lent with stain resistant treatr	nent	
		FIBER STRUCTURE		
	etween the carbor e color does not of time.		5 (N) (H) (C) (N) (N) (N) (N) (N) (N) (N) (N) (N) (N	
	WARRANTY -	TOLER.	ANCE —	
	5 years *		of tolerance of 5 5%	
	CLI	EANING INSTRUCTIONS		
	30		\boxtimes	
		- APPLICATION		
	——— DIFFEREN	IT OPTIONAL FABRIC TREATM	ENT —	
WATERPROC	OF	FLAME R	ETARDANT	
- Laminated 1000 mm			- UNE 1021 PARTS 1-2	

(*) The Agora warranty covers the fabric becoming unserviceable as a result of loss of colour or strength from normal exposure conditions, including sunlight, mildew, rot and atmospheric chemical, if the fabric has been properly installed, utilized and main tained.

The warranty does not cover labour and installation supplied by the dealer. The warranty also does not apply against deterioration of any kind due to abusive use, accidental burns, negligence or perforations.









- BS 5852 Cigarrete & Match

(agoia) Technical file Winter Covers

		COMPOSITION —		
		Polyester		
— WIDTH ——	— WEIGHT ——	— LENGHT OF ROLLS ——	——— THICKNESS —	
220 cm / 86"	400 gr / m2	50 ml	0,35 mm	
		— COATING ————		
	Р	PVC coating 2 faces		
		TEAR STRENGTH -		
WARP		WE	FT	
- 13 daN			- 10 daN	
ТЕМРЕ	RATURE RESISTENC	E — TOLERA	NCE-	
- 30° / + 70°		Sensitive values of tolerance of + / - 5%		
		APPLICATION —		

CHARACTERISTICS

Panama, Artisan, Bruma & Winter Covers



Water Resistant



Stain Resistant



Mold Resistant



UV Protect



UV Resistant



Durable Strong



NO Conductor



Easty to clean

FACILITIES | OFFICES

ADDRESS	Pol. Ind. Moinsa – Calle Boquella, n°2
46640	Mogente - Valencia - Spain
EMAIL	comercial@skylinedesign.es
TELEPHONE	+34 96 229 52 83

SHOWROOM | SALES AGENT

ADDRESS	P. I. San Cristóbal, C/ La Solana, par. A1
46640	Font de la Figuera – Valencia – Spain
EMAIL	comercial@skylinedesign.es
TELEPHONE	+34 96 223 20 32





FABRICS

www.skylinedesign.es